

### Level Plus®

Magnetostrictive Liquid-Level Transmitters with Temposonics  $^{\mbox{\tiny B}}$  Technology

**PRODUCT OVERVIEW** Liquid Level Transmitters









MTS Sensor Technologie Lüdenscheid, Germany



MTS Sensors Division Cary (North Carolina), USA



MTS Sensors Technology Corp Tokyo, Japan

#### THE COMPANY


#### The World of MTS - Precision and Reliability

Following the founding of MTS Systems Corporation in 1951, the company rapidly developed into a leading supplier of intelligent hardware and software products in the fields of test and simulation systems and in measuring and automation technology. Today MTS Systems Corporation has over 2000 employees worldwide – 280 of whom are employed by MTS Sensors at three sites in the **USA (Cary, N.C.)**, **Germany (Lüdenscheid) and Japan (Tokyo)**. At MTS, intensive basic research is efficiently merged with a consistent focus on practical requirements. The results are innovative solutions for a wide range of potential industrial and non-industrial applications.

#### THE PRINCIPLE


#### Magnetostriction -A Milestone in Measurement Technology

The heart of MTS sensors is the ferromagnetic measuring element, also known as the waveguide, and a movable position magnet that generates a direct-axis magnetic field in the waveguide. When a current or interrogation pulse passes through the waveguide, a second magnetic field is created radially around the waveguide. The interaction between the magnetic field in the waveguide and the Magnetic field produced by the position magnet generates a strain pulse which travels at a constant ultrasonic speed from its point of generation, the measurement point, to the end of the waveguide where it is transformed into an electric pulse in the sensor element. The resulting signal is processed by the specialized electronics of the Temposonics sensor. With our extensive know-how of ferromagnetic materials, magnetic effects and ultrasonic processes, MTS remains unrivalled in performance standards for non-contacting position measurement of the highest precision.



	M-Series			USTD II
			CC I	
	MR	MC420	MG	USTD II
Level	Х	Х	Х	Х
Interface	Х		Х	Х
Temperature	Х		Х	Х
Rigid Pipe	Х	Х	Х	Х
Flexible Hose	Х		Х	
Sanitary	Х		Х	
HART	Х	Х		
FOUNDATION FIELDBUS			Х	
MODBUS / DDA			Х	Х
Volume Output			Х	
Non-linearity	0.02% fs	0.02% fs	±1 mm	±0.5 mm
Maximum Length	12200 mm	5500 mm	22000 mm	3800 mm
ATEX Approval	Х	Х	Х	Х
FM Approval	Х	Х	Х	Х
CSA Approval	Х	Х	Х	
IECEx Approval	Х		Х	
CCoE Approval	Х		Х	
NEPSI Approval	Х	Х	Х	Х
KC Approval	Х		Х	
ABS Type Approval			Х	






#### **Industries Served**


Level Plus<sup>®</sup> liquid level transmitters utilize the inherent advantages of magnetostrictive technology to provide the product level, interface level, and temperature measurement of a tank from one process opening. Accurately measuring multiple process variables from one opening lowers the installed costs of adding feedback to a storage tank or process vessel.

- Oil and Gas
- Chemical
  Specialty Chemical
- LPG
- Food and Beverage
  Pharmaceutical
- Water and Wastewater
- Marine
- Mining



## Measure more with less.

3-in-1 Measurement - measure more process variables with less hassle by using a single instrument to measure up to three different process variables. MTS provides the ability to measure the product level, interface level and multipoint temperature in a tank from a single level instrument. Combining process variables measurement results in lower costs from less instrumentation and no additional tank modifications.





#### **Document Part number:**

551263 Revision B (EN) 09/2014

USA

# LOCATIONS

Sensors Division 3001 Sheldon Drive Cary, N.C. 27513, USA Tel. +1 919 677-0100 Fax +1 919 677-0200 info.us@mtssensors.com www.mtssensors.com

**MTS Systems Corporation** 

#### GERMANY

MTS Sensor Technologie GmbH & Co. KG Auf dem Schüffel 9 58513 Lüdenscheid, Germany Tel. +49 2351 9587-0 Fax +49 2351 56491 info.de@mtssensors.com www.mtssensor.de

#### JAPAN

MTS Sensors Technology Corp. 737 Aihara-machi, Machida-shi, Tokyo 194-0211, Japan Tel. +81 42 775-3838 Fax + 81 42 775-5512 info.jp@mtssensors.com www.mtssensor.co.jp

#### FRANCE MTS Systems SAS

Zone EUROPARC Bâtiment EXA 16 16/18, rue Eugène Dupuis 94046 Creteil, France Tel. + 33 1 58 4390-28 Fax + 33 1 58 4390-03 info.fr@mtssensors.com www.mtssensor.com **-EGAL NOTICES** 

#### ITALY

MTS Systems Srl.Sensor Division Via Diaz,4 25050 Provaglio d'Iseo (BS), Italy Tel. + 39 030 988 3819 Fax + 39 030 982 3359 info.it@mtssensors.com www.mtssensor.com

#### CHINA

MTS Sensors Room 504, Huajing Commercial Center, No. 188, North Qinzhou Road 200233 Shanghai, China Tel. +86 21 6485 5800 Fax +86 21 6495 6329 info.cn@mtssensors.com www.mtssensors.cn MTS, Temposonics and Level Plus are registered trademarks of MTS Systems Corporation. All other trademarks are the property of their respective owners. Printed in USA. Copyright © 2014 MTS Systems Corporation. All Rights Reserved in all media.

All specifications are subject to change. Contact MTS for specifications and engineering drawings that are critical to your application. Drawings contained in this document are for reference only. Go to http://www.mtssensors.com for the latest product information.





